


2024 NEW PRODUCTS



lungarno
CERAMICS



ARTISAN

ARTISAN Stone-looks and decorative patterns collide to bring geometric flair to your space. ARTISAN is a pressed glass hexagon mosaic, blended in four neutral color palettes and designs.

THE DETAILS:

- 1.5" Pressed glass hexagon offered in a matte finish
- Durable allowing for more application opportunities for both walls and floors

STYLE IT:

- Pool linings or water feature accent walls
- Kitchen backsplashes that will stand the test of time
- Shower pans for a decorative touch



ARTISAN

Pressed Glass Mosaic



COLOR AVAILABILITY



Travertine
ARTHEX01



Grigio
ARTHEX02



Onyx
ARTHEX03



Carrara
ARTHEX04

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.25" x 11.25"	1/4"	14	12.18









ARTISAN

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS






1.5" HEXAGON

	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floor
	Usage	Residential / Commercial*
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

1.5" HEXAGON

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	≥ 250 lbs
	Surface Abrasion (MOHS)	6
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS

BACK
TO BASICS



BACK TO BASICS Available in a sleek 2"x10" size and boasting 11 trend-forward colors in a high gloss finish, these tiles redefine simplicity. Perfect for both residential and commercial spaces, this collection is the foundation for creating effortlessly chic interiors.

THE DETAILS:

- 2" x 10" gloss ceramic wall tile with available jolly trim*

STYLE IT:

- Kitchen backsplashes' perfect match
- Show the personality of a boutique shop or trendy cafes
- Accent features walls behind vanity walls and bathtubs

* Bianco also available in matte finish



BACK TO BASICS

Ceramic Wall Tile



COLOR AVAILABILITY - WALL



Bianco Gloss
CEBAC006001



Bianco Matte
CEBAC006002



Nero Gloss
CEBAC006003



Ceruleo Gloss
CEBAC006004



Cipria Gloss
CEBAC006005



Rosa Antico Gloss
CEBAC006006



Senape Gloss
CEBAC006007



Muschio Gloss
CEBAC006008



Perla Gloss
CEBAC006009





Fango Gloss
CEBAC006010



Tortora Gloss
CEBAC006011

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 10"	2.36" x 9.84"	9mm	30	4.84
	0.5" x 10"	N / A	9mm	20	N / A

BACK TO BASICS

Ceramic Wall Tile

lungarno
CERAMICS

TECHNICAL SPECIFICATIONS







WALL

 Material Type	Ceramic
 Finish	Matte / Gloss
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	9mm
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No


*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

 Water Absorption (C373)	> 10%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	6
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



BEAT

BEAT A dynamic ceramic wall tile collection that brings vibrancy and boldness to any space. With its modern 2" x 8" size format and striking structures, Beat offers endless possibilities for creative expression. Elevate your design with this captivating collection and transform any room into a statement of style and sophistication.

THE DETAILS:

- 2" x 8" ceramic wall tile offered in satin and gloss finishes*
- Six contemporary color colorways
- Modular size allows creative pattern and layout options

STYLE IT:

- Open kitchen concepts in modern restaurants and coffee shops
- Mid-century inspired living spaces
- Pop-of-colors for kids bathrooms and spaces

*Gloss only available in Milk

Photo features Ultramarine Flat and Swing, Sage Flat and Milk Flat Gloss

BEAT

Ceramic Wall Tile



COLOR AVAILABILITY - WALL



Cinnamon Flat
CEBEACINN28FLAT



Cinnamon Dixie
CEBEACINN28DIXI



Cinnamon Charleston
CEBEACINN28CHAR



Cinnamon Swing
CEBEACINN28SWNG



Lemonade Flat
CEBEALEMO28FLAT



Lemonade Dixie
CEBEALEMO28DIXI



Lemonade Charleston
CEBEALEMO28CHAR



Lemonade Swing
CEBEALEMO28SWNG



Powder Flat
CEBEAPOWD28FLAT



Powder Dixie
CEBEAPOWD28DIXI



Powder Charleston
CEBEAPOWD28CHAR



Powder Swing
CEBEAPOWD28SWNG



Sage Flat
CEBEASAGE28FLAT



Sage Dixie
CEBEASAGE28DIXI



Sage Charleston
CEBEASAGE28CHAR



Sage Swing
CEBEASAGE28SWNG



Ultramarine Flat
CEBEAULTR28FLAT



Ultramarine Dixie
CEBEAULTR28DIXI



Ultramarine Charleston
CEBEAULTR28CHAR



Ultramarine Flat
CEBEAULTR28FLAT



Milk Flat
CEBEAMILK28FLAT



Milk Dixie
CEBEAMILK28DIXI



Milk Charleston
CEBEAMILK28CHAR



Milk Swing
CEBEAMILK28SWNG



Milk Flat Gloss
CEBEAMILK28FLATGL



Milk Dixie Gloss
CEBEAMILK28DIXIGL





Milk Charleston Gloss
CEBEAMILK28CHARGL



Milk Swing Gloss
CEBEAMILK28SWNGGL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"	1.97" x 7.87"	8mm	50	5.40
	0.5" x 8"	N / A	8mm	20	N / A


BEAT

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS







WALL

 Material Type	Ceramic
 Finish	Satin / Gloss
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	8mm
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL


 Water Absorption (C373)	> 10%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	6
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

lungarno
CERAMICS



BOTANICALS



BOTANICALS Artist-inspired florals make these 3" hexagon pressed glass mosaics a unique find, bringing an element of sophistication, charm and wallpaper-like style to walls and floors.

THE DETAILS:

- 3" pressed glass hexagon
- Offered two floral designs and 6 colors

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes
- Accent walls and niches
- Shower walls and floors

BOTANICALS

Pressed Glass Mosaic

COLOR AVAILABILITY



Ainsley
BOTAIN3HEX



Bryn
BOTBRY3HEX



Freya
BOTFRE3HEX



Elowen
BOTELO3HEX



Calla
BOTCAL3HEX



Daphne
BOTDAP3HEX

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.73" x 10.20"	1/4"	10	8.31


BOTANICALS

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS







3" HEXAGON

	Material Type	Pressed Glass
	Finish	Matte
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall / Floors
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

3" HEXAGON

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS



CASABLANCA

CASABLANCA blurs the lines between classic and contemporary, with vibrant colorways, go-to shapes and fun patterns. Bring dimension to walls with the structured wall tile, and round out the design with the petite hexagon floor tile.

THE DETAILS:

- 2" x 6" double-fired, dimensional wall tiles in three pre-mixed profiles
- 5.5" x 6" hexagonal floor tiles in solid colorways and complimenting decors

STYLE IT:

- Bar backsplashes with exposed shelving
- Mixed hexagon solid and decors in a powder or smaller bathroom floor
- Lobby or activity room accent walls in boutique hotels




Photo features Saffron 2" x 6"



Photo features Emerald Deco




Photo features Cloud Solid

CASABLANCA

Extruded Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL



COLOR AVAILABILITY - FLOOR



SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"*	1.97" x 5.91"	8mm - 12mm	66	5.35
	5.5" x 6"	5.51" x 6.34"	3/8"	30	5.37

*All three profiles are included in equal quantities in each carton.

CASABLANCA

Extruded Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
Material Type	Ceramic (Extruded)	Porcelain
Finish	Glossy	Matte
Edge	Pressed	Pressed
Color Variation	V4	V3
Printing	N/A	Digital
Installation	Wall	Wall / Floor
Usage	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/16" or No Grout Joint	1/8"
Thickness	8mm - 12mm	3/8"
Shower Pan	No	Yes
Pool Lining*	No	Yes
Fireplace Surround*	Yes	Yes
Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
Water Absorption (C373)	> 10%	≤ 0.5 %
Breaking Strength (C648)	N/A	≥ 250 LBS
Surface Abrasion (MOHS)	N/A	5.0
Chem. Resistance (C650)	N/A	Resistant
D.C.O.F. (A137.1)	N/A	> 0.42
Scratch Hardness (P.E.I)	N/A	4

Special Considerations for Wall:

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- Special and vibrant glazes can produce an intentional crackle upon production, in transport or after installation.
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof membrane is required prior to installation, and grouting and sealing will be necessary.




Photo features Ocean Blue 2" x 6", Ocean Blue Deco and Cloud Solid

lungarno
CERAMICS



COASTLINE



COASTLINE gives an effortless upgrade to your walls. This series takes the classic pressed glass mosaic and boosts it by adding a dimensional glaze-effect color overlay. The lantern shape allows for a more traditional design, while the overall style gives a fresh and updated feel.

THE DETAILS:

- 2" pressed glass lantern in a matte/glossy combination
- Offered in three colors inspired by the California coast

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes for an updated feel
- Accent walls for a pop of color

COASTLINE

Pressed Glass Mosaic



COLOR AVAILABILITY



Big Sur
COST01221P



La Jolla
COST02221P



Monterey
COST03221P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	9.8" x 12.11"	1/4"	14	11.62

COASTLINE

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS







2" LANTERN

	Material Type	Pressed Glass
	Finish	Matte/Glossy
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/16"
	Thickness	1/4"
	Shower Pan	No
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

2" LANTERN

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	N/A
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	N/A
	Scratch Hardness (P.E.I)	N/A



DISK

DISK Warm and modern go hand-in-hand with this stamped concrete inspired porcelain floor tile. DISK offers the complete package, beginning with mosaics and ending with larger formats. Think contemporary lofts, open floor plans, and urban shopping districts as just some of the spaces this series can be installed.

THE DETAILS:

- 2" x 2" porcelain mosaic
- 12" x 24", 24" x 24" and 36" x 36" porcelain
- 14" x 16" porcelain hexagon

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways




Photo features Brown 2" x 2"



Photo features Grey 14" x 16" Hexagon

DISK

Porcelain Floor Tile



COLOR AVAILABILITY - FLOOR




Beige
12x24 - PO3060DIS320R
24x24 - PO6060DIS320R
36x36 - CEDIS090006



Brown
12x24 - PO3060DIS370R
24x24 - PO6060DIS370R
36x36 - CEDIS090007



Grey
12x24 - PO3060DIS310R
24x24 - PO6060DIS310R
36x36 - CEDIS090008




Anthracite
12x24 - PO3060DIS390R
24x24 - PO6060DIS390R
36x36 - CEDIS090005




Beige Hexagon
PO2040DIS32ESA



Brown Hexagon
PO2040DIS37ESA



Grey Hexagon
PO2040DIS31ESA



Anthracite Hexagon
PO2040DIS39ESA

COLOR AVAILABILITY - MOSAIC




Beige
PO0505DIS320M



Brown
PO0505DIS370M








Grey
PO0505DIS310M



Anthracite
PO0505DIS390M














SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62
	14" x 16" Hexagon	13.77" x 15.75"	3/8"	9	10.07
	24" x 24"	23.62" x 23.62"	3/8"	3	11.62
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44







DISK

Porcelain Tile

lungarno
CERAMICS

TECHNICAL SPECIFICATIONS	MOSAIC	HEXAGON	FLOOR
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Matte	Matte	Matte
 Edge	Rectified	Pressed	Rectified
 Color Variation	V2	V2	V2
 Printing	Digital	Digital	Digital
 Installation	Wall / Floor	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"	1/8"
 Thickness	3/8"	3/8"	3/8"
 Shower Pan	Yes	Yes	Yes
 Pool Lining*	Yes	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	Yes	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	HEXAGON	FLOOR
 Water Absorption (C373)	< 0.5 %	< 0.5 %	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	4	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Beige 24" x 24"

lungarno
CERAMICS



FINISH LINE

FINISH LINE Give your space a modern touch with the versatile, timeless beauty that is Finish Line. Add an eye-catching geometric pop of style to any room with the 2" hexagon mosaics. This bold 2" mosaic combines textured glass, natural stone, and metal for a dimensional look that makes a statement. Opt for a fresh, modern accent to your kitchen or laundry room with the porcelain pennyround mosaics. Durable and timeless, this simple tile brings a clean, elegant look to your space.

THE DETAILS:

- Timeless Porcelain Pennyround mosaics in both glossy and matte finishes
- Modern, geometric Glass, Metal and Stone Mosaics in 2" Hexagon

STYLE IT:

- Style the Pennyrounds in powder baths, laundry rooms and bathroom backspashes
- Add 2" Hexagon to kitchen or bar backsplash for added elegance



FINISH LINE


Mosaics




COLOR AVAILABILITY



Glossy White
NHWHTPRG
Matte White
NHWHTPRM




Glossy Black
NHBLKPRG
Matte Black
NHBLKPRM



Flint
NHUFLTPRM



Vanilla
NHUVANPRM



Silken Gray
NHUGRYPRM



Pearl 2" Hex
NHHEX4807



Obsidian 2" Hex
NHHEX4803














SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.25" x 11.50"	3/16"	10	10.00
	N/A	11.75" x 11.75"	1/4"	11	10.55

FINISH LINE

Mosaics

lungarno
CERAMICS

TECHNICAL SPECIFICATIONS	PENNYROUND	2" HEXAGON
 Material Type	Porcelain	Glass, Stone and Metal
 Finish	Glossy / Matte	Glossy / Matte
 Edge	Pressed	Pressed
 Color Variation	V1	V3
 Printing	N / A	N / A
 Installation	Floor / Wall	Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/16"	1/4"
 Shower Pan	Yes	No
 Pool Lining*	Yes	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.







TEST RESULTS	PENNYROUND	2" HEXAGON
 Water Absorption (C373)	< 0.5%	N / A
 Breaking Strength (C648)	≥ 250 lbs	N / A
 Surface Abrasion (MOHS)	8.0	N / A
 Chem. Resistance (C650)	Resistant	N / A
 D.C.O.F. (A137.1)	> 0.42 (Matte)	N / A
 Scratch Hardness (P.E.I)	N / A	N / A



Photo features Black Glossy Pennyround

lungarno
CERAMICS



LINEA

LINEA offers a variety of both classic and trendy colorways in two linear ceramic wall tile formats. The slight irregular edge detail matched with the rich and pigmented tones present endless design opportunities for most color palettes and styles.

THE DETAILS:

- 3" x 12" ceramic wall tile in matte and glossy
- 2" x 20" ceramic wall tile in glossy
- Rich, deep and pigmented colors

STYLE IT:

- Make a bold impression and use the vibrant colors on kitchen backsplashes
- Vertically install on shower walls to give the appearance of taller ceilings
- Herringbone a vanity accent wall and pair with a floating cabinet




LINEA

Ceramic Wall Tile



COLOR AVAILABILITY - 3x12




Ardesia Glossy
LINARD312L




Ardesia Matte
LINARD312U



Ghiaccio Glossy
LINGHI312L




Ghiaccio Matte
LINGHI312U



Prussia Glossy
LINPRU312L



Prussia Matte
LINPRU312U



Terracotta Glossy
LINTER312L




Terracotta Matte
LINTER312U




Sabbia Glossy
LINSAB312L



Verde Menta Glossy
LINVER312L




Moka Glossy
LINMOK312L




Cenere Glossy
LINCEN312L


COLOR AVAILABILITY - 2x20




Ardesia Glossy
LINARD220L



Ghiaccio Glossy
LINGHI220L



Prussia Glossy
LINPRU220L



Terracotta Glossy
LINTER220L



Sabbia Glossy
LINSAB220L



Verde Menta Glossy
LINVER220L






Moka Glossy
LINMOK220L



Cenere Glossy
LINCEN220L

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	44	10.78
	2" x 20"	1.96" x 19.68"	3/8"	20	5.38
	.5" x 12" Jolly	0.59" x 11.81"	3/8"	50	N/A

LINEA

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS	3" x 12"	2" x 20"
Material Type	Ceramic	Ceramic
Finish	Glossy / Matte	Glossy
Edge	Pressed	Pressed
Color Variation	V1	V1
Printing	N/A	N/A
Installation	Wall	Wall
Usage	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/8"	1/8"
Thickness	3/8"	3/8"
Shower Pan	No	No
Pool Lining*	No	No
Fireplace Surround*	Yes	Yes
Frost Resistant	No	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	3" x 12"	2" x 20"
Water Absorption (C373)	> 7%	> 7%
Breaking Strength (C648)	N/A	N/A
Surface Abrasion (MOHS)	4	4
Chem. Resistance (C650)	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	N/A
Scratch Hardness (P.E.I)	N/A	N/A



Photo features Ghiaccio Glossy 2" x 20"



Photo features Moka Glossy 3" x 12"

lungarno
CERAMICS

LONDON METRO

LONDON METRO creates a soft, effortless vibe for every design aesthetic. The satin matte finish, clean lines and perfect shades of gray elevate walls and makes spaces appear larger.

THE DETAILS:

- 3" x 12" satin matte ceramic wall tile with bullnose trim

STYLE IT:

- Open kitchen concepts in modern restaurants or coffee shops
- Modern and minimalist-styled bathroom shower surrounds
- School locker rooms and bathrooms



LONDON METRO

Ceramic Wall Tile



COLOR AVAILABILITY - WALL



Greenwich Mist
LOMEMIS312



Hampstead Dew
LOMEDEW312



Mayfair White
LOMEWHI312



Soho Grey
LOMEGRY312

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	3/8"	50	12.50
	3" x 12" Bullnose (12" side)	2.95" x 11.81"	3/8"	50	12.50

LONDON METRO

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS







WALL

 Material Type	Ceramic
 Finish	Satin Matte
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	5/16"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

 Water Absorption (C373)	> 7%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS



MARRAKESH

MARRAKESH offers the beauty and historic details of true Zellige tiles while still making it a perfect fit for design today. This collection is offered in two classic wall formats, and paired perfectly with decorative floor tiles.

THE DETAILS:

- 4" x 4" or 2.5" x 8" wall tiles in soft and neutral, yet rich tones with a semi-gloss finish
- 8" x 8" floor tiles in unique patterns with slight glossy ink effect, paired effortlessly with any of the wall tiles

STYLE IT:

- Kitchen backsplashes with natural wood cabinetry and brass fixtures
- Floor-to-ceiling shower walls for a spa-inspired feel
- Bold and playful laundry or bathroom floors



Photo features Meknes Marine 2.5" x 8"



Photo features Bahia 8" x 8"



Photo features Medina Green 4" x 4"

MARRAKESH

Ceramic Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL




Sahara White
MARSAH44




Tantan Beige
MARTAN44




Sidi Salt
MARSID44



Medina Green
MARMED44



Meknes Marine
MARMKN44



Berber Black
MARBER44




Sahara White
MARSAH258




Tantan Beige
MARTAN258




Sidi Salt
MARSID258



Medina Green
MARMED258



Meknes Marine
MARMKN258



Berber Black
MARBER258

COLOR AVAILABILITY - FLOOR



Macaal
MARMAC88



Bahia
MARBAH88



Melah
MARMEL88



Rubeli
MARRUB88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3.94" x 3.94"	3/8	44	4.73
	2.5" x 8"	2.44" x 7.95"	3/8	38	5.17
	1" x 8" Trim (Wall)	0.98" x 7.95"	3/8	88	N/A
	8" x 8"	7.87" x 7.87"	3/8	13	5.60

MARRAKESH

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
Material Type	Ceramic (Double-Fired)	Glazed Porcelain
Finish	Semi-Gloss	Matte
Edge	Pressed	Pressed
Color Variation	V3	V3
Printing	N/A	Inkjet
Installation	Wall	Wall / Floor
Usage	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/16" or No Grout Joint	1/8"
Thickness	3/8"	3/8"
Shower Pan	No	Yes
Pool Lining*	No	Yes
Fireplace Surround*	Yes	Yes
Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
Water Absorption (C373)	> 10%	≤ 0.5 %
Breaking Strength (C648)	N/A	≥ 250 LBS
Surface Abrasion (MOHS)	N/A	5.0
Chem. Resistance (C650)	N/A	Resistant
D.C.O.F. (A137.1)	N/A	> 0.42
Scratch Hardness (P.E.I)	N/A	4

Special Considerations for Wall:

- Variations in caliber, flatness, straightness, texture, design and shade are present in the artisanal manufacture process of this product.
- Special and vibrant glazes can produce an intentional crackle upon production, in transport or after installation.
- Dry-stacking is recommended for wall tile, although not required. When installing in a wet area, a waterproof member is required prior to installation, and grouting and sealing will be necessary.



Photo features Melah 8" x 8"

lungarno
CERAMICS

MASSA MARBLE

MASSA MARBLE provides a marble-look tile, reinvented. The two traditionally-sized wall tiles give an organic, natural feel, while the floor formats add rich details that draw the eye closer.

THE DETAILS:

- 3" x 6" and 6" x 6" natural edge wall tiles
- 9" x 10" hexagon porcelain floor tiles with glossy ink effect

STYLE IT:

- Transitional or farmhouse kitchen backsplashes
- Large, open living spaces and bathrooms
- Mud room floors and entryways




Photo features Carrara 3" x 6"




Photo features Carrara 6" x 6"

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL



Carrara 3" x 6"
MASCARWALL36



Calacatta Oro 3" x 6"
MASOROWALL36



Carrara 6" x 6"
MASCARWALL66



Calacatta Oro 6" x 6"
MASOROWALL66

COLOR AVAILABILITY - FLOOR



Carrara 9" x 10" Hexagon
MASCARHEX



Calacatta Oro 9" x 10" Hexagon
MASOROHEX

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"	2.88" x 5.88"	3/8"	88	10.30
	6" x 6"	5.88" x 5.88"	3/8"	44	10.56
	3" x 6" Bullnose (6" side)	2.88" x 5.88"	3/8"	44	N/A
	9" x 10"	9.13" x 10.50"	5/16"	16	8.06

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	HEXAGON
Material Type	Ceramic	Porcelain
Finish	Matte	Matte
Edge	Pressed	Pressed
Color Variation	V3	V3
Printing	Digital	Digital
Installation	Wall	Wall / Floor
Usage	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/8"	3/16"
Thickness	3/8"	5/16"
Shower Pan	No	Yes
Pool Lining*	No	Yes
Fireplace Surround*	Yes	Yes
Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	HEXAGON
Water Absorption (C373)	> 7%	≤ 0.5 %
Breaking Strength (C648)	N/A	≥ 250 LBS
Surface Abrasion (MOHS)	N/A	7.0
Chem. Resistance (C650)	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	≥ 0.42
Scratch Hardness (P.E.I)	N/A	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Calacatta Oro 3" x 6"

lungarno
CERAMICS

MELODY



MELODY An artistically designed ceramic wall tile collection that adds beauty and depth to walls of any style. Available in four spa-inspired colors, each of which offered in field tiles, two coordinating decors and trim finishing edge.

THE DETAILS:

- 5" x 5" watercolor-edged glazed field tiles and coordinating decors in two design options
- 0.5" x 10" finishing trim

STYLE IT:

- Kitchen backsplashes with counter-to-wall exposure
- Full shower surrounds and vanity accent features
- Laundry room backsplashes




MELODY

Ceramic Wall Tile



COLOR AVAILABILITY



Easton White
Solid
MELEAS55


Easton White
Audrey Decor
MELEASAUD55

Easton White
Chloe Decor
MELEASCHL55

Eme Ash
Solid
MELEME55

Eme Ash
Audrey Decor
MELEMEAUD55

Eme Ash
Chloe Decor
MELEMECHL55



Lyric Blue
Solid
MELLYR55

Lyric Blue
Audrey Decor
MELLYRAUD55



Lyric Blue
Chloe Decor
MELLYRCHL55

Mint Grey
Solid
MELMIN55

Mint Grey
Audrey Decor
MELMINAUD55

Mint Grey
Chloe Decor
MELMINCHL55

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	5" x 5"	5.12" x 5.12"	3/8"	30	5.40
	0.5" x 10" Trim	N/A	N/A	10	N/A








MELODY

Ceramic Wall Tile



TECHNICAL SPECIFICATIONS







WALL

 Material Type	Ceramic
 Finish	Glossy
 Edge	Pressed
 Color Variation	V3
 Printing	N / A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

 Water Absorption (C373)	> 7%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	N/A
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.




Photo features Mint Grey Chloe Decor

lungarno
CERAMICS



MULTIFORMA



MULTIFORMA plays with color and size to give commercial spaces the sophisticated upgrade they need. Offered in six not-so-average colors and a plaster-like texture, this collection can be used alone or with our coordinating wall tile collection, LINEA.

THE DETAILS:

- 36" x 36" large format porcelain

STYLE IT:

- Hotel entryways
- Open concept office spaces
- Airport common areas

MULTIFORMA


Porcelain Floor Tile



COLOR AVAILABILITY




Ghiaccio
CEMUL090001



Prussia
CEMUL090005




Sabbia
CEMUL090003



Terracotta
CEMUL090006



Cenere
CEMUL090002



Ardesia
CEMUL090004

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

MULTIFORMA

Porcelain Tile



TECHNICAL SPECIFICATIONS







FLOOR

 Material Type	Porcelain
 Finish	Matte
 Edge	Rectified
 Color Variation	V2
 Printing	Digital
 Installation	Wall / Floor
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	No
 Pool Lining*	N/A
 Fireplace Surround*	Yes
 Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

FLOOR

 Water Absorption (C373)	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	≥ 0.42
 Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.




Photo features Terracotta 36" x 36"

lungarno
CERAMICS



NATURAL ELEMENTS



NATURAL ELEMENTS When an accent wall is calling, Natural Elements shows up. Whether it's a clean, geometric vibe, or an elegant, waterjet style, there is something for everyone with this collection. Offered in eight colors and patterns, the mixture of stone and glass compliments without being too loud.

THE DETAILS:

- Waterjet glass and stone mosaics in unique shapes and patterns
- Neutral colors combine for bold patterns

STYLE IT:

- Powder room or kitchen backsplash for a unique focal point
- Bathroom vanity for a pop of color
- Bar backsplash for a trendy vibe

NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics




COLOR AVAILABILITY




Lace Leaf
NELEAF7904



Dove Leaf
NELEAF7905



Snowfall Teardrop
NETEAR7804



Mist Teardrop
NETEAR7805



Mink Hexagon Leaves
NEHEXLEAF02



Blue Heron Hex Leaves
NEHEXLEAF8004








Skyline
NECHEV305



Cashmere Cube
NECUBEA1

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.00" x 11.75"	5/16"	10	9.80
	N/A	11.13" x 11.88"	5/16"	10	9.20
	N/A	11.13" x 11.88"	5/16"	11	10.78
	N/A	12.00" x 10.88"	5/16"	10	9.00
	N/A	11.13" x 9.75"	5/16"	11	8.14



NATURAL ELEMENTS

Waterjet Glass and Stone Mosaics



TECHNICAL SPECIFICATIONS

MOSAICS






 Material Type	Glass and Stone
 Finish	Glossy / Matte
 Edge	Cut
 Color Variation	V3
 Printing	N / A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	5/16"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS

MOSAICS

 Water Absorption (C373)	N / A
 Breaking Strength (C648)	N / A
 Surface Abrasion (MOHS)	N / A
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

lungarno
CERAMICS



NORTHERN LIGHTS

NORTHERN LIGHTS plays tribute to classic mosaic size formats and takes them to the next level. Offered in two patterns and five colorways, this pressed glass series provides the durability of porcelain tile combined with rich color tones only glass tiles can achieve.

THE DETAILS:

- Raindrop mosaic with glossy and matte finishes
- Hex Wheel in color blocked hexagon-border combos

STYLE IT:

- Pool linings or water feature accent walls
- Kids bathrooms that will stand the test of time and style



Photo features Cosmos Raindrop

NORTHERN LIGHTS

Pressed Glass Mosaic




COLOR AVAILABILITY - RAINDROP*



Asteroid
NLASTRAIN




Cosmos
NLCOSRAIN



Galaxy
NLGLXRAIN



Moon
NLMONRAIN




Neptune
NLNEPRAIN


COLOR AVAILABILITY - HEX WHEEL**



Asteroid
NLASTWHEEL




Cosmos
NLCOSWHEEL



Galaxy
NLGLXWHEEL





Moon
NLMONWHEEL



Neptune
NLNEPWHEEL

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.61" x 11.10"	1/4"	11	9.85
	N/A	10.24" x 8.90"	1/4"	11	6.95














*Raindrop Mosaic offered in 70% matte, 30% glossy combination

**Hex Wheel Mosaic offered in matte only

NORTHERN LIGHTS







Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS	RAINDROP	HEX WHEEL
 Material Type	Pressed Glass	Pressed Glass
 Finish	Glossy / Matte	Matte
 Edge	Pressed	Pressed
 Color Variation	V1	V1
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial**	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"
 Thickness	1/4"	1/4"
 Shower Pan	Yes	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

**Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS	RAINDROP	HEX WHEEL
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	5	5
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42
 Scratch Hardness (P.E.I)	N/A	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

lungarno
CERAMICS



ORGANIC STRANDS

ORGANIC STRANDS gives an effortless upgrade to your walls. This series takes the classic pressed glass mosaic and boosts it by adding texture and dimension. The lantern shape allows for a modern design, while the overall style gives a fresh and uniform look.

THE DETAILS:

- 2" pressed glass lantern in a textured combination
- Offered in four versatile colors

STYLE IT:

- Pool linings and water features
- Kitchen backsplashes for an updated feel
- Accent walls



Photo features Light Grey Lantern

ORGANIC STRANDS

Pressed Glass Mosaic



COLOR AVAILABILITY



Ivory
ORG01221P



Beige
ORG02221P



Light Grey
ORG03221P



Grey
ORG04221P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	9.80" x 12.10"	1/4"	14	11.56

ORGANIC STRANDS

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS







2" LANTERN

	Material Type	Pressed Glass
	Finish	Glossy
	Edge	Pressed
	Color Variation	V3
	Printing	Digital
	Installation	Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	1/8"
	Thickness	1/4"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Yes

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

2" LANTERN

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	100 lbs
	Surface Abrasion (MOHS)	4
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	≥ 0.42%
	Scratch Hardness (P.E.I)	6

lungarno
CERAMICS

RAINSTONE

RAINSTONE timeless and modern with a variety of design possibilities. Whether it's a small space needing a streamlined look or a large lofty space needing a touch of warmth. Rainstone delivers strength and durability to stand the test of time with a unique weathered look that will inspire creativity.

THE DETAILS:

- 2" x 2" porcelain mosaic

STYLE IT:

- Modern kitchen backsplashes
- Shower pans
- Sun room floors and entryways



Photo features Grey 2x2

RAINSTONE

Porcelain Mosaics




COLOR AVAILABILITY



Beige White
CERST005001



Natural
CERST005002



Light Grey
CERST005003



Dark Grey
CERST005004

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81

RAINSTONE

Porcelain Floor Tile



TECHNICAL SPECIFICATIONS







MOSAIC

 Material Type	Porcelain
 Finish	Matte
 Edge	Rectified
 Color Variation	V3
 Printing	Digital
 Installation	Wall / Floor
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	Yes
 Pool Lining*	Yes
 Fireplace Surround*	Yes
 Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

MOSAIC

 Water Absorption (C373)	≤ 0.5 %
 Breaking Strength (C648)	≥ 400 LBS
 Surface Abrasion (MOHS)	7.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	≥ 0.42
 Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.

Lungarno
CERAMICS



RETROSPECTIVES

RETROSPECTIVE Artistic and alluring on top; bold and playful on the bottom. RETROSPECTIVES draws you in with its eccentric decors, while the wall tiles complement or stand-alone. These classic ceramic wall tiles and decorative floor tiles create a statement piece in a room big or small.

THE DETAILS:

- 3" x 6" glazed wall tiles in 3 unique colors that compliment any aesthetic
- 8" x 8" floor tiles in three fun patterns

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Combine wall and floor in a laundry or smaller bathroom
- Activity room or closet for a pop of color




Photo features Royal Garden 3" x 6"



Photo features Covent Gardens 8" x 8"




Photo features Enchanted Mist 3" x 6"

RETROSPECTIVES

Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL



Enchanted Mist
RSENCANTED36L



Notting Hill
RSNOTHILL36L



Royal Garden
RSROYALGARD36L

COLOR AVAILABILITY - FLOOR



Covent Gardens
RSCOVENTGARD88






Notting Hill
RSNOTHILL88



Royal Blues
RSROYALBLUE88

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"*	2.95" x 5.95"	5/16	44	5.37
	1" x 6" Jolly	0.95" x 5.91"	N/A	132	N/A
	8" x 8"	7.88" x 7.88"	3/8"	13	5.60

RETROSPECTIVES

Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	FLOOR
Material Type	Ceramic	Porcelain
Finish	Glossy	Matte
Edge	Pressed	Pressed
Color Variation	V3	V3
Printing	Digital	Digital
Installation	Wall	Wall / Floor
Usage	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/8"	1/8"
Thickness	3/8"	3/8"
Shower Pan	No	Yes
Pool Lining*	No	No
Fireplace Surround*	Yes	Yes
Frost Resistant	No	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	FLOOR
Water Absorption (C373)	> 7%	< 0.5 %
Breaking Strength (C648)	N/A	≥ 250 LBS
Surface Abrasion (MOHS)	N/A	7.0
Chem. Resistance (C650)	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	≥ 0.42
Scratch Hardness (P.E.I)	N/A	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.




Photo features Royal Blues 8" x 8"

lungarno
CERAMICS



ROYAL



ROYAL ROYAL is a limestone-meets-concrete visual that adds texture and depth to most residential and commercial spaces. The gently worn colors and neutral shades of gray create a warm and inviting feel, while the large format size simplifies design and limits grout joints.

THE DETAILS:

- 36" x 36" large format porcelain floor tiles

STYLE IT:

- Industrial or modern lofts
- Upscale restaurants and kitchens
- Business centers and modern work spaces

ROYAL

Porcelain Floor Tile



COLOR AVAILABILITY



Light
CEROY090002



Mild
CEROY090005

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	36" x 36"	35.43" x 35.43"	3/8"	2	17.44

ROYAL

Porcelain Tile



TECHNICAL SPECIFICATIONS







FLOOR

 Material Type	Porcelain
 Finish	Matte
 Edge	Rectified
 Color Variation	V3
 Printing	Digital
 Installation	Wall / Floor
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	No
 Pool Lining*	N/A
 Fireplace Surround*	Yes
 Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

FLOOR

 Water Absorption (C373)	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	≥ 0.42
 Scratch Hardness (P.E.I)	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Light 36" x 36"

lungarno
CERAMICS



SEASONS

SEASONS Classic sizes meet mid-century modern style. SEASONS adds a pop of color to walls while remaining neutral. Mix and match the wall tile for a completely custom feel that unique to your own style.

THE DETAILS:

- 4" x 4" glazed wall tiles in 3 unique colors with matching decors

STYLE IT:

- Kitchen backsplashes with exposed shelving
- Laundry or smaller bathroom
- Activity room or closet for a pop of color



Photo features Spring Solid, Spring Equinox and Spring Solstice

SEASONS


Ceramic Wall



COLOR AVAILABILITY - WALL



Spring
SEASPRW441P




Spring Equinox
SEASPREQNW441P



Spring Solstice
SEASPRSOLW441P



Summer
SEASUMW441P



Summer Equinox
SEASUMEQNW441P



Summer Solstice
SEASUMSOLW441P



Autumn
SEAATMW441P




Autumn Equinox
SEAATMEQNW441P



Autumn Solstice
SEAATMSOLW441P



Winter
SEAWTRW441P





Winter Equinox
SEAWTREQNW441P



Winter Solstice
SEAWTRSOLW441P

SIZE AVAILABILITY

	NOMINAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	4" x 4"	3/8"	108	11.66
	0.5" x 12" Jolly	N/A	50	N/A

SEASONS

Ceramic Wall



TECHNICAL SPECIFICATIONS







WALL

 Material Type	Ceramic
 Finish	Matte
 Edge	Pressed
 Color Variation	V2
 Printing	Digital
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	3/8"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL

 Water Absorption (C373)	> 7%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	N/A
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Winter, Winter Equinox and Winter Solstice 4" x 4"

lungarno
CERAMICS

SIMPLE STONE

SIMPLE STONE brings the best-of-marble visuals and blends with classic and fun shapes. The combination matte and glossy surface gives dimension without being too flashy and the pressed glass body makes these safe enough to use on shower pans or bathroom floors.

THE DETAILS:

- Available in Pebbles, Triangle, Chevron and Pennyround mesh-mounted mosaics
- Offered in combination glossy and matte finish for all except Pebble mosaic.

STYLE IT:

- Give unique detail to pool linings or outdoor kitchen backsplashes
- Round out bathroom designs by using on shower floors and in accent niches
- Add an elegant touch to fireplace surrounds



Photo features Oro Pennyround





Photo features Bianco Chevron

SIMPLE STONE


Pressed Glass Mosaic



COLORS



Bianco Pennyround
SIMBIANCOPYRD



Bianco Chevron
SIMBIANCOCHEVRO




Bianco Triangle
SIMBIANCOTRI




Bianco Pebbles
SIMBIANCOPEB



Nero Pennyround
SIMNEROPYRD



Nero Chevron
SIMNEROCHEVRON



Nero Triangle
SIMNEROTRI



Nero Pebbles
SIMNEROPEB



Oro Pennyround
SIMOROPYRD



Oro Chevron
SIMOROCHEVRON







Oro Triangle
SIMOROTRI



Oro Pebbles
SIMOROPEB

SIZE AVAILABILITY

		NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	Triangle	N/A	9.92" x 12.91"	1/4"	11	9.78
	Chevron	N/A	12.24" x 11.02"	1/4"	11	10.30
	Pennyround	N/A	12.32" x 11.42"	1/4"	11	10.76
	Pebble	N/A	12.13" x 12.13"	1/4"	10	10.21

SIMPLE STONE

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS

MOSAIC







 Material Type	Pressed Glass
 Finish	Glossy / Matte
 Edge	Pressed
 Color Variation	V3
 Printing	Digital
 Installation	Wall / Floor
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	1/4"
 Shower Pan**	Yes
 Pool Lining*	Yes
 Fireplace Surround*	Yes
 Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

**Pebbles only

TEST RESULTS

MOSAIC

 Water Absorption (C373)	< 0.5%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A


Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features Nero Triangle



STONEWAY



STONEWAY is a unique and versatile porcelain tile, with a variety of design possibilities. Each of the three colors is offered in three graphics to give a wall or floor custom gradient look. Whether it's a more traditional or bold ombre that your space calls for, this collection is certain to turn heads.

THE DETAILS:

- 12" x 24" in three gradient color schemes
- 2" x 2" porcelain mosaic

STYLE IT:

- Transitional or modern lofty spaces
- Large, open living spaces and bathrooms
- Sun room floors and entryways
- Kitchen backsplashes

STONEWAY

Porcelain Floor Tile



COLOR AVAILABILITY - FLOOR



Beige
PO3060STO320R



Grey
PO3060STO350R



Anthracite
PO3060STO390R



Line Beige
PO3060STO320L



Line Grey
PO3060STO350L




Line Anthracite
PO3060STO390L



White Beige
PO3060STO312R



White Grey
PO3060STO315R



White Anthracite
PO3060STO319R

COLOR AVAILABILITY - MOSAIC



Beige
PO505STO320M





Grey
PO505STO350M



Anthracite
PO505STO390M














SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.63" x 11.63"	3/8"	6	5.81
	12" x 24"	11.62" x 23.62"	3/8"	6	11.62







STONEWAY

Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	MOSAIC	FLOOR
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Rectified	Rectified
 Color Variation	V2	V2
 Printing	Digital	Digital
 Installation	Wall / Floor	Wall / Floor
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	Yes	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Yes	Yes


*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	MOSAIC	FLOOR
 Water Absorption (C373)	< 0.5 %	< 0.5 %
 Breaking Strength (C648)	≥ 250 LBS	≥ 250 LBS
 Surface Abrasion (MOHS)	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	4	4

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.



Photo features White Anthracite, Line Anthracite and Anthracite



URBAN
TEXTURES
CONTEMPO


URBAN TEXTURES CONTEMPO Glass blends with this classic subway format to create a modernized version of a style still adored today. Choose from nine colors of various shades and two sizes and see how spaces appear larger with the reflectivity of glass tile.

THE DETAILS:

- Offered in a thinner profile glass, in nine neutral and versatile colors
- Available in 3x6 loose tile and 2x4 mesh-mounted

STYLE IT:

- Kitchen backsplashes and bar accent walls
- Apartment and hospitality common areas
- Restaurant bathroom walls




URBAN TEXTURES CONTEMPO

Glass



COLOR AVAILABILITY - 2x4



Bright White
UTC0124

Ivory
UTC0224

Beige
UTC0324

Ash
UTC0424

Gray
UTC0524

Graphite
UTC0624

Bottle
UTC0724

Sky Blue
UTC0824

Smoke
UTC0924

COLOR AVAILABILITY - 3x6



Bright White
UTC0136

Ivory
UTC0236

Beige
UTC0336

Ash
UTC0436

Gray
UTC0536

Graphite
UTC0636

Bottle
UTC0736

Sky Blue
UTC0836

Smoke
UTC0936

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	2" x 4"	4mm	10	10.00
	3" x 6"	3" x 6"	4mm	80	10.00

URBAN TEXTURES CONTEMPO

Glass







lungarno
CERAMICS

TECHNICAL SPECIFICATIONS **2x4 / 3x6**

 Material Type	Glass
 Finish	Glossy
 Edge	Pressed
 Color Variation	V1
 Printing	Digital
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	4mm
 Shower Pan	No
 Pool Lining*	Yes
 Fireplace Surround*	Yes
 Frost Resistant	No

* Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS **2x4 / 3x6**

 Water Absorption (C373)	< 0.5%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A

lungarno
CERAMICS

ZELLIGE CLASSIQUE

ZELLIGE CLASSIQUE Originating in Morocco, these unique, handmade tiles are known for their organic beauty, vibrant colors and rich history dating back centuries. Authentic Zellige tiles are made from high-quality clay, then hand shaped, cut, glazed and fired at extremely high temperatures resulting in this incredibly durable and aesthetically pleasing tile.

THE DETAILS:

- 4" x 4" and 2" x 6" natural clay wall tiles in six earth inspired tones
- Colorful mosaic assortment in a variety of classic and modern shapes

STYLE IT:

- Pair 4x4 and 2x6 together for a custom look
- Kitchen backsplashes
- Shower walls and bathroom vanities
- Accent walls for a stunning and unique look
- Fireplace surrounds for a beautiful and eye-catching touch
- Stair risers to add color or texture



Photo features Atlas White Starburst

ZELLIGE CLASSIQUE

Authentic Zellige Tile



COLOR AVAILABILITY - FIELD TILE



Al Hamra 4x4
ZELALHAM44L
Al Hamra 2x6
ZELALHAM26L



Sahara Rose 4x4
ZELSAHROS44L
Sahara Rose 2x6
ZELSAHROS26L



Mint Tea 4x4
ZELMINTEA44L
Mint Tea 2x6
ZELMINTEA26L



Atlas White 4x4
ZELATLWHI44L
Atlas White 2x6
ZELATLWHI26L



Gris Perle 4x4
ZELGRIPER44L
Gris Perle 2x6
ZELGRIPER26L




Blue City 4x4
ZELBLUCIT44L
Blue City 2x6
ZELBLUCIT26L

COLOR AVAILABILITY - MOSAICS



Al Hamra
Papillon
ZELPAP01MOS



Atlas White/Sahara Rose
Tapis
ZELTAP01MOS



Atlas White/Blanc/Gris
Perle Chouari
ZELCHO01MOS



Atlas White
Starburst
ZELSTA01MOS











Atlas White
Art
ZELART01MOS



Atlas White
Triangle
ZELTRI01MOS

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 6"	N/A	3/8"	100	8.07
	4" x 4"	N/A	3/8"	100	10.76
	N/A	10.50" x 10.00"	3/8"	16	11.67
	N/A	12.00" x 12.00"	3/8"	11	11.00
	N/A	13.25" x 14.25"	3/8"	10	13.11
	N/A	10.00" x 10.00"	3/8"	18	12.50
	N/A	11.25" x 11.25"	3/8"	11	9.67
	N/A	9.00" x 11.75"	3/8"	14	10.28

ZELLIGE CLASSIQUE

Authentic Zellige Tile



TECHNICAL SPECIFICATIONS	4" x 4"	2" x 6"	MOSAICS
Material Type	Zellige Terracotta	Zellige Terracotta	Zellige Terracotta
Finish	Glossy	Glossy	Glossy
Edge	Hand Cut	Hand Cut	Hand Cut
Color Variation	V3	V3	V3
Printing	N/A	N/A	N/A
Installation	Wall	Wall	Wall
Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	N/A	N/A	N/A
Thickness	3/8"	1.5 CM (15mm)	3/8"
Shower Pan	No	No	No
Pool Lining*	No	No	No
Fireplace Surround*	Yes	Yes	Yes
Frost Resistant	No	No	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	4" x 4"	2" x 6"	MOSAICS
Water Absorption (C373)	N/A	N/A	N/A
Breaking Strength (C648)	N/A	N/A	N/A
Surface Abrasion (MOHS)	N/A	N/A	N/A
Chem. Resistance (C650)	Resistant	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	N/A	N/A
Scratch Hardness (P.E.I)	N/A	N/A	N/A

Special Considerations for Zellige Tile:

- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
- Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
- It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
- Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting and sealing will be necessary.
- Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.

ANCHOR

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Iron 12x24*

Colors



CTANIRO2HEX1P
IRON
2" HEXAGON
MOSAIC




CTANPEW2HEX1P
PEWTER
2" HEXAGON
MOSAIC



CTANPAT2HEX1P
PATINA
2" HEXAGON
MOSAIC

Sizes

	Sq. Ft. per carton Actual	Nominal	Faces	Pieces per carton
 12.68" x 10.43"	9.2	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓		
Walls/Backsplashes	✓	✓	✓	

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
Mosaics	1/4"	1/8"	V2

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4

*Discontinued Size

commodiTile
value+quality+design



CARROLLTON

CARROLLTON offers everyday neutrals, go-to sizes and fun shapes, making this collection a must in any home or commercial space. Use them together to create a uniform design from top to bottom, or individually to keep things simple and clean.

THE DETAILS:

- Ceramic wall tiles in 3" x 6", 2" x 8", 4" x 12" and 4" x 16" size formats
- Porcelain floor tiles in 9" x 10" hexagons
- Porcelain mosaics in 1" or 2" hexagons and 2" x 2" squares

STYLE IT:

- Combine a single color wall, floor and mosaic to create a modern and crisp bathroom vibe
- Style the 9" x 10" hexagon in powder baths, laundry rooms and entryways



Photo features Gloss Charcoal 4" x 12"

COLOR AVAILABILITY - WALL



Gloss White
CTWL01

Matte White
CTWL03

Gloss Biscuit
CTWL02

Gloss Gray
CTWL05

Gloss Sand
CTWL06

Gloss Khaki
CTWL07

Gloss Charcoal
CTWL08

PART NUMBERS





GROUP 1 COLORS

Color Name	Size	SKU
Gloss White	2" x 8"	CTWL0128
Gloss White	3" x 6"	CTWL0136
Gloss White	4" x 12"	CTWL01412
Gloss White	4" x 16"	CTWL01416
Matte White	3" x 6"	CTWL0336
Matte White	4" x 12"	CTWL03412
Matte White	4" x 16"	CTWL03416
Gloss Biscuit	2" x 8"	CTWL0228
Gloss Biscuit	3" x 6"	CTWL0236
Gloss Biscuit	4" x 12"	CTWL02412
Gloss Biscuit	4" x 16"	CTWL02416
Gloss Gray	2" x 8"	CTWL0528
Gloss Gray	3" x 6"	CTWL0536
Gloss Gray	4" x 12"	CTWL05412
Gloss Gray	4" x 16"	CTWL05416

GROUP 2 COLORS

Color Name	Size	SKU
Gloss Sand	4" x 12"	CTWL06412
Gloss Khaki	4" x 12"	CTWL07412
Gloss Charcoal	4" x 12"	CTWL08412

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"*	1.94" x 7.75"	5/16"	100	11.10
	3" x 6"	2.95" x 5.88"	5/16"	132	16.50
	4" x 12"	3.98" x 11.81"	5/16"	40	13.33
	4" x 16"	3.98" x 15.75"	5/16"	25	11.11

Bullnose available on both long and short edge for 3" x 6", 4" x 12" and 4" x 16" formats only

*2" x 8" Available in Gloss White, Gloss Biscuit and Gloss Gray only


CARROLLTON

Ceramic Wall Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS

WALL

 Material Type	Ceramic
 Finish	Glossy / Matte
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	5/16"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL







 Water Absorption (C373)	> 7% and < 20%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A



Photo features Gloss White 3" x 6"

CARROLLTON

Porcelain Floor Tile

commodiTile
value+quality+design

COLOR AVAILABILITY



White
CTFL01910HEX1P




Biscuit
CTFL02910HEX1P




Gray
CTFL05910HEX1P



Sand
CTFL06910HEX1P




Khaki
CTFL07910HEX1P



Charcoal
CTFL08910HEX1P

SIZE AVAILABILITY







	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9" x 10"	9.13" x 10.51"	5/16"	16	8.06

TECHNICAL SPECIFICATIONS 9" x 10" HEXAGON

	Material Type	Porcelain
	Finish	Matte
	Edge	Pressed
	Color Variation	V1
	Printing	Digital
	Installation	Floor / Wall
	Usage	Residential / Commercial
	Grout Joint Recomm.	3/16"
	Thickness	5/16"
	Shower Pan	Yes
	Pool Lining*	Yes
	Fireplace Surround*	Yes
	Frost Resistant	Resistant


*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS 9" x 10" HEXAGON

	Water Absorption (C373)	< 0.5%
	Breaking Strength (C648)	≥ 250 lbs
	Surface Abrasion (MOHS)	6.0
	Chem. Resistance (C650)	Resistant
	D.C.O.F. (A137.1)	> 0.42
	Scratch Hardness (P.E.I)	3

COLOR AVAILABILITY - MOSAICS


1" Hexagon Glossy




White
CTMS011HEXG



Biscuit
CTMS021HEXG




Gray
CTMS051HEXG



Sand
CTMS061HEXG



Khaki
CTMS071HEXG



Charcoal
CTMS081HEXG


2" Hexagon Matte




White
CTMS012HEXM




Biscuit
CTMS022HEXM



Gray
CTMS052HEXM



Sand
CTMS062HEXM




Khaki
CTMS072HEXM




Charcoal
CTMS082HEXM


2" x 2" Matte



White
CTMS0122M



















Biscuit
CTMS0222M



Gray
CTMS0522M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	10.04" x 11.54"	1/4"	11	8.84
	N/A	10.91" x 12.68"	1/4"	11	10.56
	N/A	11.93" x 11.93"	1/4"	11	10.87

TECHNICAL SPECIFICATIONS	1" HEXAGON	2" HEXAGON	2" x 2"
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Glossy	Matte	Matte
 Edge	Pressed	Pressed	Pressed
 Color Variation	V1	V1	V1
 Printing	N/A	N/A	N/A
 Installation	Wall	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"	1/16"
 Thickness	1/4"	1/4"	1/4"
 Shower Pan	No	Yes	Yes
 Pool Lining*	Yes	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.







TEST RESULTS	1" HEXAGON	2" HEXAGON	2" x 2"
 Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A	N/A
 Surface Abrasion (MOHS)	6.0	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	3	3	3




Photo features Khaki 2" Hexagon

commodiTile
value+quality+design



CLASSICS II



CLASSICS II This timeless and sophisticated look of marble tile is both the elegant and durable solution that will most certainly stand the test of time. Classics II offers two subtly evolved marble looks in a variety of shapes, sizes and material applications.

THE DETAILS:

- Ceramic Wall Tiles in 3" x 12"
- Porcelain Floor Tiles in 12" x 24", 24" x 48" or 9" x 10" hexagons
- Porcelain Mosaics in herringbone or pennyround

STYLE IT:


- Combine multiple sizes together in a single room for a uniform, modern aesthetic
- Add sophisticated charm to kitchen backsplashes with the glossy herringbone mosaic while keeping floors slip-resistant with the matte pennyround mosaic
- Style the mid-sized hexagon in small spaces such as bathrooms, laundry rooms and entryways

CLASSICS II

Ceramic Wall Tile

commodiTile
value+quality+design



COLOR AVAILABILITY - WALL



Calacatta Lincoln
CLA2LIN312

Macael White
CLA2MAC312

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 12"	2.95" x 11.81"	5/16"	50	12.11
	0.5" x 12"	0.51" x 11.81"	N/A	60	N/A

CLASSICS II

Ceramic Wall Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS

WALL

 Material Type	Ceramic
 Finish	Satin
 Edge	Pressed
 Color Variation	V3
 Printing	Digital
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/8"
 Thickness	5/16"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL







 Water Absorption (C373)	> 7%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A



Photo features Calacatta Lincoln 12" x 24" and 24" x 48"

CLASSICS II

Porcelain Floor Tile

commodiTile
value+quality+design

COLOR AVAILABILITY - FLOOR



Calacatta Lincoln Hexagon
CLA2LIN910HEX1P



Macael White Hexagon
CLA2MAC910HEX1P



Calacatta Lincoln Glazed Polished
12x24 - CLA2LIN12241L
Calacatta Lincoln Matte
12x24 - CLA2LIN12241U



Macael White Glazed Polished
12x24 - CLA2MAC12241L
Macael White Matte
12x24 - CLA2MAC12241U






Calacatta Lincoln Glazed Polished
24x48 - CLA2LIN24481L
Calacatta Lincoln Matte
24x48 - CLA2LIN24481U



Macael White Glazed Polished
24x48 - CLA2MAC24481L
Macael White Matte
24x48 - CLA2MAC24481U














SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9" x 10"	9.13" x 10.47"	5/16"	18	9.08
	12" x 24"	11.81" x 23.62"	3/8"	8	15.49
	24" x 48"	23.62" x 47.24"	3/8"	2	15.49







CLASSICS II

Porcelain Floor Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	9" x 10" HEXAGON	12" x 24"	24" x 48"
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Matte	Polished / Matte	Polished / Matte
 Edge	Pressed	Rectified	Rectified
 Color Variation	V3	V3	V3
 Printing	Digital	Digital	Digital
 Installation	Floor / Wall	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	3/8"	1/8"	1/8"
 Thickness	5/16"	3/8"	3/8"
 Shower Pan	Yes	No	No
 Pool Lining*	No	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	No	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	9" x 10" HEXAGON	12" x 24"	24" x 48"
 Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	7.0	Glazed Polished - 6.0 Matte - 7.0	Glazed Polished - 6.0 Matte - 7.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	Glazed Polished - N/A Matte - ≥ 0.42	Glazed Polished - N/A Matte - ≥ 0.42
 Scratch Hardness (P.E.I)	4	4	4

CLASSICS II

Porcelain Mosaics

commodiTile
value+quality+design

COLOR AVAILABILITY - MOSAICS

Herringbone - Glossy



Calacatta Lincoln
CLA2LINHER



Macael White
CLA2MACHER

Pennyround - Matte





Calacatta Lincoln
CLA2LINROUND



Macael White
CLA2MACROUND

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.40" x 10.83"	1/4"	10	9.32
	N/A	12.44" x 11.57"	1/4"	10	10.00

CLASSICS II














Porcelain Mosaics

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS

HERRINGBONE

PENNYROUND





 Material Type	Porcelain	Porcelain
 Finish	Glossy	Matte
 Edge	Pressed	Pressed
 Color Variation	V3	V3
 Printing	Digital	Digital
 Installation	Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"
 Thickness	1/4"	1/4"
 Shower Pan	No	Yes
 Pool Lining*	Yes	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

HERRINGBONE

PENNYROUND

 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A
 Surface Abrasion (MOHS)	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	N/A
 Scratch Hardness (P.E.I)	3	3

CLASSICS


Glazed Porcelain Floor Tile

commodiTile
value+quality+design




Photo Features Italian Carrara

Colors



CTCLCAR12241L ITALIAN CARRARA 12" x 24" GLAZED POLISHED PORCELAIN
CTCLCAR12241U ITALIAN CARRARA 12" x 24" HONED MATTE PORCELAIN



CTCLCAR24241L ITALIAN CARRARA 24" x 24" GLAZED POLISHED PORCELAIN
CTCLCAR24241U ITALIAN CARRARA 24" x 24" HONED MATTE PORCELAIN



CTCLVEN12241L VENETIAN GRAY 12" x 24" GLAZED POLISHED PORCELAIN
CTCLVEN12241U VENETIAN GRAY 12" x 24" HONED MATTE PORCELAIN



CTCLVEN2HEX1P VENETIAN GRAY
2" HEXAGON MOSAIC



CTCLCAR2HEX1P CARRARA
2" HEXAGON MOSAIC

Sizes

	Sq. Ft. per carton	Faces		Pieces per carton
		Actual	Nominal	
*24" x 24"	15.5	16	8	4
12" x 24"	9.7	10	12	5
12.68" x 10.43"	9.2	10	N/A	10

*Italian Carrara only – both finishes

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	
Counters				
Pool Linings				

*24" x 24" and 12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 24", 12" x 24"	3/8"	1/8"	V3
Mosaics	1/4"	1/8"	V3

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only

commodiTile
value+quality+design



DURSTONE

DURSTONE Crafted from resilient porcelain, Durstone is an ideal choice for a seamless transition from indoor to outdoor living. These large format tiles are offered in both an R9 and R11 finish, with the R11 anti-slip option to be used safely in both wet and dry outdoor applications.

THE DETAILS:

- Warm and neutral porcelain floor tiles in 12"x24" and 24"x48" formats
- 24" x 48" also available in R11 anti-slip option that meets or exceeds a DCOF of 0.60

STYLE IT:

- Combine a single color wall-to-floor combination to create a modern and crisp bathroom vibe
- Use the large format floor in commercial areas to create a neutral base to any room
- Bring the indoors out with ease by using the anti-slip option for patio floors, pool decking or outdoor grill areas

DURSTONE


Porcelain Floor Tile

commodiTile
value+quality+design

COLOR AVAILABILITY - FLOOR




White Matte 12x24
CEDRS030001



White Matte 24x48 - R9
CEDRS060017
White Matte 24x48 - R11 Anti-Slip
CEDRS060021





Taupe Matte 12x24
CEDRS030004





Taupe Matte 24x48 - R9
CEDRS060020
Taupe Matte 24x48 - R11 Anti-Slip
CEDRS060022

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	12" x 24"	11.81" x 23.62"	3/8"	5	9.68
	24" x 48"	23.62" x 47.24"	3/8"	2	15.49

TECHNICAL SPECIFICATIONS	12x24 / 24 x 48	24 x 48 (R11) Anti-Slip
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Rectified	Rectified
 Color Variation	V2	V2
 Printing	Digital	Digital
 Installation	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	Yes
 Pool Lining*	Yes	Yes
 Pool Decking / Uncovered Patio	No	Yes
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	12x24 / 24 x 48	24 x 48 (R11) Anti-Slip
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	7.0	7.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	≥ 0.42	≥ 0.60
 Scratch Hardness (P.E.I)	4	4

commodiTile
value+quality+design



ELEMENTS

ELEMENTS delivers a strong and durable surface for any high traffic area, in a range of light to dark color options. Keep things simple, traditional and clean with either the hexagon or the pennyround mosaic.

THE DETAILS:

- Full-body mosaics in 2" Hexagon or Pennyround shape, offered in four neutral colors

STYLE IT:

- Gym shower or sauna floors
- Restaurant entryways and corridors



Photo features Lead Hexagon

ELEMENTS

Full-Body Porcelain Mosaics

commodiTile
value+quality+design


COLOR AVAILABILITY - HEXAGON



Carbon
ELCAR2HEX



Lead
ELLEA2HEX




Oxygen
ELOXY2HEX




Platinum
ELPLA2HEX


COLOR AVAILABILITY - PENNYROUND




Carbon
ELCARPENNY



Lead
ELLEAPENNY





Oxygen
ELOXPENNY



Platinum
ELPLAPENNY

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.68" x 10.98"	1/4"	11	10.64
	N/A	12.32" x 11.38"	1/4"	10	9.73

ELEMENTS

Full-Body Porcelain Mosaics

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS







MOSAIC

 Material Type	Full-Body Porcelain
 Finish	Matte
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall / Floor
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	1/4"
 Shower Pan	Yes
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

MOSAIC

 Water Absorption (C373)	< 0.5%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	7
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	> 0.42
 Scratch Hardness (P.E.I)	3

IMPRESSIONS

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Quartz

Colors



CTIMSIL12241P SILVER 12" x 24"



CTIMSIL221P SILVER
2" x 2" MOSAIC



CTIMQUA12241P QUARTZ 12" x 24"



CTIMQUA221P QUARTZ
2" x 2" MOSAIC





CTIMCHA12241P CHARCOAL 12" x 24"



CTIMCHA221P CHARCOAL
2" x 2" MOSAIC

Sizes

	Size	Sq. Ft. per carton		Faces	Pieces per Carton
		Actual	Nominal		
	12" x 24"	9.7	10	10	5
	11.89" x 11.89"	9.8	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	

Counters

Pool Linings

*12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
12" x 24"	3/8"	1/8"	V2
Mosaics	1/4"	1/8"	V2

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF	ANSI 137.1	≥ 0.42
PEI	C1027	PEI 4

commodiTile
value+quality+design

PURE



PURE The timeless and sophisticated look of white and black tile. To say that this porcelain floor tile is understated would be misleading. The glazed polished product gives a crisp and elevated feel, while the matte takes on a casual, yet contemporary vibe. With a variety of sizes, including large format, this collection is especially desirable for commercial projects.

THE DETAILS:

- Porcelain Floor Tiles in 12" x 12", 12" x 24" and 24" x 48"
- Bright white and true black colorways

STYLE IT:

- Use the black and white together in a checkered pattern for entryways or utility spaces
- Combine the glazed polished and matte finishes together for a seamless floor-to-wall transition




PURE

Porcelain Floor Tile

commodiTile
value+quality+design

COLOR AVAILABILITY



Frost White Glazed Polished 12x12 - CTPUWHT12121LV
Frost White Matte 12x12 - CTPUWHT12121PV

Frost White Glazed Polished 12x24 - CTPUWHT12241LV
Frost White Matte 12x24 - CTPUWHT12241PV

Frost White Glazed Polished 24x24 - CTPUWHT24241LV
Frost White Matte 24x24 - CTPUWHT24241PV

Frost White Glazed Polished 24x48 - CTPUWHT24481L







Jet Black Glazed Polished 12x12 - CTPUBLK1212L
Jet Black Matte 12x12 - CTPUBLK12121P

Jet Black Glazed Polished 12x24 - CTPUBLK12241L
Jet Black Matte 12x24 - CTPUBLK12241P

Jet Black Glazed Polished 24x24 - CTPUBLK24241L
Jet Black Matte 24x24 - CTPUBLK24241P














SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	12" x 12"	11.81" x 11.81"	3/8"	11	10.52
	12" x 24"	11.81" x 23.62"	3/8"	8	15.49
	24" x 24"	23.62" x 23.62"	3/8"	4	15.49
	24" x 48"	23.62" x 47.24"	3/8"	2	15.49

PURE







Porcelain Floor Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS	12" x 12", 12" x 24", 24" x 24"	24" x 48"
 Material Type	Porcelain	Porcelain
 Finish	Polished / Matte	Polished
 Edge	Rectified	Rectified
 Color Variation	V1	V1
 Printing	N/A	N/A
 Installation*	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	3/8"	3/8"
 Shower Pan	No	No
 Pool Lining	No	No
 Fireplace Surround**	Yes	Yes
 Frost Resistant	Yes	Yes

*Jet Black Glazed Polished intended for walls only in all applications.

**Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	12" x 12", 12" x 24", 24" x 24"	24" x 48"
 Water Absorption (C373)	< 0.5%	< 0.5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	Glazed Polished - 5.0 Matte - 6.0	Glazed Polished - 5.0 Matte - 6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	Glazed Polished - N/A Matte - ≥ 0.42	Glazed Polished - N/A Matte - ≥ 0.42
 Scratch Hardness (P.E.I)	3	3

SICILY

Glazed Porcelain Floor Tile

commodiTile
value+quality+design



Photo Features Catania Honed Matte

Colors



CTSILCAT12241L CATANIA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILCAT12241U CATANIA 12" x 24" HONED MATTE PORCELAIN



CTSILCAT24481L CATANIA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILCAT24481U CATANIA 24" x 48" HONED MATTE PORCELAIN




CTSILTAO12241L TAORMINA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILTAO12241U TAORMINA 12" x 24" HONED MATTE PORCELAIN




CTSILTAO24481L TAORMINA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILTAO24481U TAORMINA 24" x 48" HONED MATTE PORCELAIN




CTSILETN12241L ETNA 12" x 24" GLAZED POLISHED PORCELAIN
CTSILETN12241U ETNA 12" x 24" HONED MATTE PORCELAIN




CTSILETN24481L ETNA 24" x 48" GLAZED POLISHED PORCELAIN
CTSILETN24481U ETNA 24" x 48" HONED MATTE PORCELAIN



CTSILCAT221P
CATANIA
2" x 2" MOSAIC






CTSILTAO221P
TAORMINA
2" x 2" MOSAIC



CTSILETN221P
ETNA
2" x 2" MOSAIC

Sizes

	Size	Sq. Ft. per carton		Faces	Pieces per Carton
		Actual	Nominal		
	24" x 48"	15.5	16	8	2
	12" x 24"	9.7	10	12	5
	11.89" x 11.89"	9.8	10	N/A	10

Application

	Residential	Light Commercial	Commercial	Exteriors
Floors	✓	✓	✓*	
Walls/Backsplashes	✓	✓	✓	

Counters

Pool Linings

*24" x 48" and 12" x 24" only

Installation

Size	Thickness	Grout Joint Recommendation	Shade Variation
24" x 48" & 12" x 24"	3/8"	1/8"	V3
Mosaics	1/4"	1/8"	V3

Test Results

	ASTM#	Result
Breaking Strength	C648	≥ 250 lbs.
Stain Resistance	C1378	Pass
DCOF*	ANSI 137.1	≥ 0.42
PEI*	C1027	PEI 4

*Applies to honed matte porcelain floor tile only